

Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025 accreditation issued by ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

CUSTOMER KSLP, LLC
2324 N. Batavia St.
Orange, CA 92865
Email: adamheubner82@gmail.com;

SAMPLE DESCRIPTION Red Vein Lot 1001
SD NA

SAMPLE DATE

DATE RECEIVED 3/5/2020

REFERENCE NUMBER 200089: 2008912 **Customer PO**

TEMPERATURE AT RECEIVING



Test Requested	Test Method	Results	Ref Number	Start Date
Kratom P3				
P3 Mitragynine	Analyst: 42	2.09 %	DF02:58	3/9 12:00 PM
P3 7 Hydroxymitragynine	Analyst: 42	<0.01 %	DF02:58	3/9 12:00 PM
P3 Aerobic Plate Count	^Bam Ch 3 Analyst: 44	Log: 6.6 4640000 cfu/g		3/6 3:13 PM Estimated
P3 Coliform	^AOAC 991.14 Analyst: 39	Log: 4.4 30000 cfu/g		3/6 2:17 PM
P3 Listeria sp	Analyst: 39	Negative/10g		3/6 12:43 PM
P3 Mold	^Bam Ch18 Analyst: 44	Log: 6.0 1000000 cfu/g		3/6 2:14 PM
P3 Salmonella	AOAC 011404 Analyst: 39	Negative/25g		3/6 12:43 PM Kit Lot Number: SSp-472
P3 Yeast	^Bam Ch18 Analyst: 44	Log: 4.4 30000 cfu/g		3/6 2:14 PM
P3 Lead	Analyst: 45	0.549 mg/Kg	MS03-81	3/9 7:00 AM
P3 Arsenic	Analyst: 45	<0.5 mg/Kg	MS03-81	3/9 7:00 AM

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**


This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Audrey Monroe
Audrey Monroe - Laboratory Director

Date: 3/13/2020

Date: 3/25/2020



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025 accreditation issued by ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

SAMPLE DESCRIPTION	Red Vein Lot 1001 SD NA		
SAMPLE DATE			
DATE RECEIVED	3/5/2020		
REFERENCE NUMBER	200089: 2008912	Customer PO	
TEMPERATURE AT RECEIVING			

Test Requested	Test Method	Results	Ref Number	Start Date
P3 Cadmium	Analyst: 45	<0.5 mg/Kg	MS03-81	3/9 7:00 AM
P3 Mercury	Analyst: *212 ID#8001	<0.050 mg/Kg		3/9 12:00 PM *Subcontracted

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**


This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Audrey Monroe - Laboratory Director

Date: 3/13/2020

Date: 3/25/2020



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025 accreditation issued by ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

CUSTOMER KSLP, LLC
2324 N. Batavia St.
Orange, CA 92865
Email: adamheubner82@gmail.com;


SAMPLE DESCRIPTION Red Vein Lot 1001
SD NA

SAMPLE DATE

DATE RECEIVED 3/5/2020

REFERENCE NUMBER 200089: 2008912.01 **Customer PO**

TEMPERATURE AT RECEIVING




Test Requested	Test Method	Results	Ref Number	Start Date
Escherichia coli - Generic	^AOAC 991.14 Analyst: 39	Log: <2.0 <100 cfu/g		3/6 2:17 PM

Sample Comment:
Supplement to report 2008912

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.


**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by: 
Audrey Monroe - Laboratory Director

Date: 3/24/2020

Date: 3/25/2020



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025 accreditation issued by ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

CUSTOMER KSLP, LLC
2324 N. Batavia St.
Orange, CA 92865
Email: adamheubner82@gmail.com;


SAMPLE DESCRIPTION White Vein Lot 1001
SD NA

SAMPLE DATE

DATE RECEIVED 3/5/2020

REFERENCE NUMBER 200089: 2008913 **Customer PO**

TEMPERATURE AT RECEIVING



Test Requested	Test Method	Results	Ref Number	Start Date
Kratom P3				
P3 Mitragynine		1.88 %	DF02:58	3/9 12:00 PM
	Analyst: 42			
P3 7 Hydroxymitragynine		<0.01 %	DF02:58	3/9 12:00 PM
	Analyst: 42			
P3 Aerobic Plate Count	^Bam Ch 3	Log: 5.7		3/6 3:13 PM
	Analyst: 44			
P3 Coliform	^AOAC 991.14	Log: 2.7		3/6 2:17 PM
	Analyst: 39			
P3 Listeria sp		Negative/10g		3/6 12:43 PM
	Analyst: 39			
P3 Mold	^Bam Ch18	Log: 6.3		3/6 2:14 PM
	Analyst: 44			
P3 Yeast	^Bam Ch18	Log: <2.0		3/6 2:14 PM
	Analyst: 44			
P3 Lead		1.20 mg/Kg	MS03-81	3/9 7:00 AM
	Analyst: 45			
P3 Arsenic		<0.5 mg/Kg	MS03-81	3/9 7:00 AM
	Analyst: 45			
P3 Cadmium		<0.5 mg/Kg	MS03-81	3/9 7:00 AM
	Analyst: 45			

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement. Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**


This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Audrey Monroe
Audrey Monroe - Laboratory Director

Date: 3/16/2020

Date: 3/25/2020



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025 accreditation issued by ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

SAMPLE DESCRIPTION	White Vein Lot 1001 SD NA		
SAMPLE DATE			
DATE RECEIVED	3/5/2020		
REFERENCE NUMBER	200089: 2008913	Customer PO	
TEMPERATURE AT RECEIVING			

Test Requested	Test Method	Results	Ref Number	Start Date
P3 Mercury	Analyst: *212 ID#8001	<0.050 mg/Kg		3/9 12:00 PM *Subcontracted

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement. Test results apply to the sample as received.


**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:
Audrey Monroe - Laboratory Director

Date: 3/16/2020

Date: 3/25/2020



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025 accreditation issued by ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

CUSTOMER KSLP, LLC
2324 N. Batavia St.
Orange, CA 92865
Email: adamheubner82@gmail.com;

SAMPLE DESCRIPTION White Vein Lot 1001
SD NA

SAMPLE DATE

DATE RECEIVED 3/5/2020

REFERENCE NUMBER 200089: 2008913.01 **Customer PO**

TEMPERATURE AT RECEIVING



Test Requested	Test Method	Results	Ref Number	Start Date
Escherichia coli - Generic	^AOAC 991.14 Analyst: 39	Log: <2.0 <100 cfu/g		3/6 2:17 PM

Sample Comment:
Supplement to report 2008913

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**


This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Audrey Monroe
Audrey Monroe - Laboratory Director

Date: 3/24/2020

Date: 3/25/2020



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025 accreditation issued by ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

CUSTOMER KSLP, LLC
2324 N. Batavia St.
Orange, CA 92865
Email: adamheubner82@gmail.com;


SAMPLE DESCRIPTION Kratom 2W
SD NA

SAMPLE DATE

DATE RECEIVED 3/19/2020

REFERENCE NUMBER 200106: 2010682 **Customer PO**

TEMPERATURE AT RECEIVING



Test Requested	Test Method	Results	Ref Number	Start Date
Salmonella:AOAC 011404	AOAC 011404 Analyst: 39	Negative/25g		3/19 3:17 PM Kit Lot Number: SSp-481


Sample Comment:
No Submission Sheet

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**


This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:


Audrey Monroe - Laboratory Director

Date: 3/20/2020

Date: 3/25/2020



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025 accreditation issued by ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

CUSTOMER KSLP, LLC
2324 N. Batavia St.
Orange, CA 92865
Email: adamheubner82@gmail.com;

SAMPLE DESCRIPTION Green Vein Lot 1001
SD NA

SAMPLE DATE

DATE RECEIVED 3/5/2020

REFERENCE NUMBER 200089: 2008911 **Customer PO**

TEMPERATURE AT RECEIVING



Test Requested	Test Method	Results	Ref Number	Start Date
Kratom P3				
P3 Mitragynine		1.44 %	DF02:58	3/9 12:00 PM
	Analyst: 42			
P3 7 Hydroxymitragynine		0.014 %	DF02:58	3/9 12:00 PM
	Analyst: 42			
P3 E.coli	USP 2022	Negative/25g		3/6 12:43 PM
	Analyst: 39			
P3 Aerobic Plate Count	^Bam Ch 3	Log: 5.6		3/6 3:13 PM
	Analyst: 44			
P3 Coliform	^AOAC 991.14	Log: 2.9		3/6 2:17 PM
	Analyst: 39			
P3 Listeria sp		Negative/10g		3/6 12:43 PM
	Analyst: 39			
P3 Mold	^Bam Ch18	Log: 4.8		3/6 2:14 PM
	Analyst: 44			
P3 Salmonella	AOAC 011404	Negative/25g		3/6 12:43 PM
	Analyst: 39		Kit Lot Number: SSp-472	
P3 Yeast	^Bam Ch18	Log: <2.0		3/6 2:14 PM
	Analyst: 44			
P3 Lead		0.521 mg/Kg	MS03-81	3/9 7:00 AM
	Analyst: 45			

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**


This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Andrea Balduck - Laboratory Manager

Date: 3/13/2020

Date: 3/25/2020



Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025 accreditation issued by ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

SAMPLE DESCRIPTION	Green Vein Lot 1001 SD NA		
SAMPLE DATE			
DATE RECEIVED	3/5/2020		
REFERENCE NUMBER	200089: 2008911	Customer PO	
TEMPERATURE AT RECEIVING			

Test Requested	Test Method	Results	Ref Number	Start Date
P3 Arsenic	Analyst: 45	<0.5 mg/Kg	MS03-81	3/9 7:00 AM
P3 Cadmium	Analyst: 45	<0.5 mg/Kg	MS03-81	3/9 7:00 AM
P3 Mercury	Analyst: *212 ID#8001	<0.050 mg/Kg		3/9 12:00 PM *Subcontracted

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Andrea Balduck - Laboratory Manager

Date: 3/13/2020

Date: 3/25/2020